




Polarplas®

FEEL THE DIFFERENCE :

QUALITY INSULATED PRODUCTS
LIKE NO OTHER!



Rotational Moulded
PUR/PE FOAMED TUBS/BINS
& PALLETS



Toll Free: 1800 123 55 8585

Copyright @ PIPL / June / 2023

DOUBLE WALL INSULATED CONTAINERS

PP-D0050P3U

PU
Foaming




Dimensions	Length	Width	Height
Internal	515	345	325
External	655	405	440
Container	20FT-280	40HC-580	
Weight (Kg) (Foaming)	7Kg/15.8Lbs (PU Foaming)		
Volume*	50 Liter		

Size in mm

PP-D0070P1U

PU
Foaming



Dimensions	Length	Width	Height
Internal	685	415	275
External	750	485	390
Container	20FT-230	40HC-540	
Weight (Kg) (Foaming)	12Kg/25.3Lbs (PU Foaming)		
Volume*	70 Liter		

Size in mm

PP-D00100P1U

PU
Foaming



Dimensions	Length	Width	Height
Internal	750	465	315
External	810	535	435
Container	20FT-204	40HC-468	
Weight (Kg) (Foaming)	15Kg/32.8Lbs (PU Foaming)		
Volume*	100 Liter		

Size in mm

PP-D0200P1U

PU
Foaming



***AVAILABLE WITH OR WITHOUT BRACKET**

Dimensions	Length	Width	Height
Internal	640	640	520
External	820	720	700
Container	20FT-80	40HC-160	
Weight (Kg) (Foaming)	20Kg/42.7Lbs (PU Foaming)		
Volume*	200 Liter		

Size in mm

PP-D210JP1U

PU
Foaming



Dimensions	Length	Width	Height
Internal	1260	420	430
External	1380	540	545
Container	20FT-64	40HC-150	
Weight (Kg) (Foaming)	32Kg/71.2Lbs (PU Foaming)		
Volume*	210 Liter		

Size in mm

PP-D0220P1U

PU
Foaming



Dimensions	Length	Width	Height
Internal	905	505	505
External	980	585	615
Container	20FT-88	40HC-208	
Weight (Kg) (Foaming)	26Kg/56.7Lbs (PU Foaming)		
Volume*	220 Liter		

Size in mm

SALIENT FEATURES



**EASY
LIFTING**



**LITRAGE
MARKING**



**CONVENIENT
DRAINAGE**




STACKABLE



**PELLETIZED
BOTTOM**



**STRONG
LOCKING**



**UV PROTECTIVE
RAW MATERIAL**



**EASY TO
HANDLE**

*All Dimensions, Volume and Weight mentioned are subjected to tolerance.

DOUBLE WALL INSULATED CONTAINERS

PP-DB300P1U

PU
Foaming



Dimensions	Length	Width	Height
Internal	685	610	755
External	840	710	1000
Container	20FT-36		40HC-108
Weight (Kg) (Foaming)	22Kg/47.8Lbs (PU Foaming)		
Volume*	300 Liter		

Size in mm

PP-D0310P1U

PE
Foaming
PU
Foaming



Dimensions	Length	Width	Height
Internal	870	665	580
External	925	715	765
Container	20FT-60		40HC-140
Weight (Kg) (Foaming)	31Kg/68.3Lbs (PU Foaming)		
Volume*	306 Liter		

Size in mm

PP-D0380P1U

PE
Foaming
PU
Foaming



Dimensions	Length	Width	Height
Internal	880	680	610
External	950	750	820
Container	20FT-22		40HC-120
Weight (Kg) (Foaming)	31Kg/68.3Lbs (PU Foaming)		
Volume*	380 Liter		

Size in mm

PP-D0460P1U

PE
Foaming
PU
Foaming



Dimensions	Length	Width	Height
Internal	1165	970	430
External	1230	1030	645
Container	20FT-44		40HC-98
Weight (Kg) (Foaming)	52Kg/114.6Lbs (PU Foaming)		
Volume*	460 Liter		

Size in mm

PP-D0500R1U

PE
Foaming
PU
Foaming



Dimensions	Diameter	NA	Height
Internal	1080	NA	510
External	1270	NA	715
Container	20FT-30		40HC-76
Weight (Kg) (Foaming)	52Kg/114.6Lbs (PU Foaming)		
Volume*	500 Liter		

Size in mm

PP-DH500R1U

PE
Foaming
PU
Foaming



Dimensions	Diameter	NA	Height
Internal	1080	NA	510
External	1270	NA	715
Container	20FT-30	40HC-76	
Weight (Kg) (Foaming)	52Kg/114.6Lbs (PU Foaming)		
Volume*	580 Liter		

Size in mm

COLOR OPTIONS



DOUBLE WALL INSULATED CONTAINERS

PP-D0600P1U
PE
Foaming
PU
Foaming


Dimensions	Length	Width	Height
Internal	1120	920	570
External	1200	1000	820
Container	20FT-40		40HC-90
Weight (Kg) (Foaming)	66Kg/144.4 Lbs (PU Foaming)		
Volume*	590 Liter		

Size in mm

PP-D0605P1U
PE
Foaming
PU
Foaming


Dimensions	Length	Width	Height
Internal	1140	940	580
External	1200	1000	760
Container	20FT-45		40HC-105
Weight (Kg) (Foaming)	44Kg/97 Lbs (PU Foaming)		
Volume*	605 Liter		

Size in mm

PP-D0630P1U
PE
Foaming
PU
Foaming


Dimensions	Length	Width	Height
Internal	1100	910	600
External	1200	1000	780
Container	20FT-40		40HC-90
Weight (Kg) (Foaming)	58Kg/126.7Lbs (PU Foaming)		
Volume*	605 Liter		

Size in mm

PP-DH630R1U
PE
Foaming
PU
Foaming


Dimensions	Diameter	NA	Height
Internal	1060	NA	665
External	1270	NA	890
Container	20FT-20		40HC-60
Weight (Kg) (Foaming)	57Kg/125.6Lbs (PU Foaming)		
Volume*	600 Liter		

Size in mm

PP-DH660R1U
PE
Foaming
PU
Foaming


Dimensions	Diameter	NA	Height
Internal	1060	NA	790
External	1270	NA	1005
Container	20FT-20	40HC-40	
Weight (Kg) (Foaming)	56Kg/123.4Lbs (PU Foaming)		
Volume*	680 Liter		

Size in mm

PP-D6603P1U
PE
Foaming
PU
Foaming


3 Leg

Dimensions	Length	Width	Height
Internal	1165	970	600
External	1230	1030	820
Container	20FT-40		40HC-90
Weight (Kg) (Foaming)	63Kg/138.8Lbs (PU Foaming)		
Volume*	660 Liter		

Size in mm


MARKING OPTIONS


HOT FOIL
STAMPING

POST MOULD
LABEL


ENGRAVING


SEQUENTIAL
NUMBERING

SCREEN
PRINTING

INMOULD
GRAPHICS

HOT
STAMPING

INMOULD
EMBOSING

DOUBLE WALL INSULATED CONTAINERS

PP-D0800P1U




Dimensions	Length	Width	Height
Internal	1390	1100	558
External	1465	1180	800
Container	20FT-25		40HC-65
Weight (Kg) (Foaming)	81Kg/178.5Lbs (PU Foaming)		
Volume*	792 Liter		
Size in mm			

PP-D1000P1U



Dimensions	Length	Width	Height
Internal	1390	1100	710
External	1465	1180	955
Container	20FT-24		40HC-59
Weight (Kg) (Foaming)	100Kg/220.4Lbs (PU Foaming)		
Volume*	1006 Liter		
Size in mm			

PP-D1000P2U



Dimensions	Length	Width	Height
Internal	1580	1100	580
External	1700	1220	850
Container	20FT-13	40HC-39	
Weight (Kg) (Foaming)	111Kg/244.7Lbs (PU Foaming)		
Volume*	1000Liter		

Size in mm

PP-D1400P1U



Dimensions	Length	Width	Height
Internal	1870	1040	650
External	1990	1170	870
Container	20FT-14		40HC-36
Weight (Kg) (Foaming)	120Kg/264.5Lbs (PU Foaming)		
Volume*	1275 Liter		

Size in mm

PP-DX332P1U



Dimensions	Length	Width	Height
Internal	1105	965	695
External	1220	1080	947
Container	20FT-30		40HC-69
Weight (Kg) (Foaming)	80Kg/175.2Lbs (PU Foaming)		
Volume*	705 Liter		

Size in mm

PP-DX335P1U



Dimensions	Length	Width	Height
Internal	1120	990	1015
External	1240	1125	1280
Container	20FT-16		40HC-40
Weight (Kg) (Foaming)	100Kg/220.4Lbs (PU Foaming)		
Volume*	1010 Liter		

Size in mm

TRACKING OPTIONS



**SEQUENTIAL
NUMBERING**



**SCREEN
PRINTING**



**INMOULD
GRAPHICS**


ROTATIONAL MOLDED HYGIENE PALLETS

PP-1012-PTPS3L2W




Dimensions	Length	Width		Height
	1200	1000		160
Fork Entry Side	1000	(S)	(D)	(R)
Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, with Rack lock				
Size in mm				

PP-1210-PTPS3L2W



Dimensions	Length	Width		Height
	1200	1000		150
Fork Entry Side	1200	Ⓢ	Ⓓ	Ⓡ
Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, with Rack lock				
				Size in mm

PP-1210-PEPS3L2W



Dimensions	Length	Width		Height
	1200	1000		172
Fork Entry Side	1200	(S)	(D)	(R)
Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, with Rack lock				
				Size in mm

PP-1212-PTPS3L2W




Dimensions	Length	Width		Height
	1200	1200		160
Fork Entry Side	1200	(S)	(D)	(R)
Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack Lock				
Size in mm				

PP-1010-PTPS3L2W



Dimensions	Length	Width		Height
	1000	1000		160
Fork Entry Side	1000	(S)	(D)	(R)
Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack Lock				
Size in mm				

PP-1111-PTPS3L2W




Dimensions	Length	Width		Height
	1100	1100		160
Fork Entry Side	1100	(S)	(D)	(R)
Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack Lock				
Size in mm				

PP-1070-PEPS3L2W



Dimensions	Length	Width		Height
	1000	700		160
Fork Entry Side	1000	(S)	(D)	(R)
Plain Top, With Side Edges, PU & Steel, 3 Leg 2 Way Pallet Jack Entry, with Rack lock				
Size in mm				

PP-1515-PTPS3L2W



Dimensions	Length	Width		Height
	1500	1500		160
Fork Entry Side	1500	(S)	(D)	(R)
Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, with Rack lock				
Size in mm				

PP-8012-PTPS3L2W




Dimensions	Length	Width		Height
	1200	800		150
Fork Entry Side	800	(S)	(D)	(R)
Plain Top, With Side Edge, PU & Steel, 3 Leg 2 Way Pallet Jack Entry, with Rack lock				
Size in mm				

DIFFERENT TOPS AVAILABLE


PLAIN TOP



VENTILATED TOP




CORRUGATED TOP



*All dimensions, volumes and weights mentioned are subject to tolerance.

ROTATIONAL MOLDED HYGIENE PALLETS

PP-1212-PEPS3L2W




Dimensions	Length	Width	Height
	1200	1200	177
Fork Entry Side	1200	(S) (D) (R)	
Plain Top, With Side Edges, PU & Steel, 3 Leg 2 Way Pallet Jack Entry, with Rack lock			
Size in mm			

PP-1290-RTPS3L2W



Dimensions	Length	Width	Height
	1200	900	225
Fork Entry Side	1200	(S) (D) (R)	
Round Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry			
Size in mm			

PP-1212-ASPS3L2W




Dimensions	Length	Width	Height
	1200	1200	170
Fork Entry Side	1200	(S) (D) (R)	
Anti Skid Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry			
Size in mm			

PP-1012-VEPS3L2E



Dimensions	Length	Width	Height
	1200	1000	165
Fork Entry Side	1000	(S) (D) (R)	
Ventilated Top, With Side Edges, PU and Steel 3 Leg, 2 Way Pallet Jack & 2 Way Euro Entry			
Size in mm			

PP-1012-PTPS3L2E




Dimensions	Length	Width	Height
	1200	1000	150
Fork Entry Side	1000	(S) (D) (R)	
Plain Top, PU and Steel, 3 Leg, 2 Way Pallet Jack & 2 Way Euro Entry			
Size in mm			

PP-1210-PTPS4L4E



Dimensions	Length	Width	Height
	1200	1000	150
Fork Entry Side	4 side	(S) (D) (R)	
Plain Top, PU & Steel, 4 Leg, 4 Way Euro Entry			
Size in mm			

PP-1210-PTPS5L4E




Dimensions	Length	Width	Height
	1200	1000	160
Fork Entry Side	4 sides	(S) (D) (R)	
Plain Top, PU & Steel, 5 Leg, 4 Way Euro Entry			
Size in mm			

PP-1210-PTPS9L4W



Dimensions	Length	Width	Height
	1200	1000	150
Fork Entry Side	4 sides	(S) (D) (R)	
Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack Entry			
Size in mm			

PP-1010-PTPS9L4W



Dimensions	Length	Width	Height
	1000	1000	170
Fork Entry Side	4 sides	(S) (D) (R)	
Plain Top, PU & Steel, 9 Leg, 4 Way Pallet 6Jack Entry			
Size in mm			

DIFFERENT TOPS AVAILABLE


PERFORATED TOP



WITH SIDE EDGES



ANTI-SKID TOP



*All dimensions, volumes and weights mentioned are subject to tolerance.

ROTATIONAL MOLDED HYGIENE PALLETS

PP-1212-PTPS9L4W



Dimensions	Length	Width		Height
	1200	1200		165
Fork Entry Side	4 sides	(S)	(D)	(R)
Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack Entry				
Size in mm				

PP-1080-PTPS9L4W



Dimensions	Length	Width		Height
	1000	800		165
Fork Entry Side	4 sides	(S)	(D)	(R)
Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack Entry				
Size in mm				

PP-1280-PTPS9L4W




Dimensions	Length	Width		Height
	1200	800		170
Fork Entry Side	4 sides	(S)	(D)	(R)
Plain Top, PU & Steel, 4 Leg, 4 Way Euro Entry				
Size in mm				

PP-9090-PTPS5L4E




Dimensions	Length	Width		Height
	900	900		160
Fork Entry Side	4 sides	(S)	(D)	(R)
Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack Entry				
Size in mm				

PP-1111-PTPS9L4W




Dimensions	Length	Width		Height
	1100	1100		160
Fork Entry Side	4 sides	(S)	(D)	(R)
Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack Entry				
Size in mm				

PP-1515-PTPS9L4W




Dimensions	Length	Width		Height
	1500	1500		160
Fork Entry Side	4 sides	(S)	(D)	(R)
Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack Entry				
Size in mm				


DIFFERENT BOTTOM AVAILABLE




3 LEG - PALLET




9 LEG PALLET




2 LEG PALLET



5 LEG PALLET



4 LEG PALLET



PLAIN BOTTOM (REVERSIBLE)



MARKET WE SERVE



POLARPLAS (INDIA) PRIVATE LIMITED

CORPORATE OFFICE ADDRESS

B-212, RATNAAKAR NINE SQUARE, OPP. KESHAVBAUG PARTY PLOT, MANSI ROAD, VASTRAPUR, AHMEDABAD – 380 015, GUJARAT, INDIA

TEL: +91 79 4007 3880 **WHATSAPP:** +91 95 1076 6405 **TOLL FREE:** 1800 123 55 8585 **CIN:** U25209GJ2019PTC111528

EMAIL : sales@polarplas.com **WEBSITE:** www.polarplas.com

or



Scan to view website

FACTORY ADDRESS

SURVEY NO-1658, BEHIND GAYATRI TEMPLE, GANDHINAGAR - MANSA HIGHWAY, MANSA - 382 845, GUJARAT, INDIA

TEL: +91 27632 71158 **WHATSAPP:** +91 99 0994 4617 **TOLL FREE:** 1800 123 55 8585

UK BRANCH OFFICE

POLARPLAS UK LTD. SUITE 264, UNIT 3A, 34-35 HATTON GARDEN HOLBORN, LONDON, UK EC1N 8DX

MOBILE:+44 79 1552 1129 **WHATSAPP:** +91 90 9994 4361